

FIG. 1
(PRIOR ART)



FIG. 2

TOSHIBA 24000660



STORED IMAGE DATA

FIG. 3



VIDEO DATA STREAM

FIG. 4


500
MEMORY
VIDEO/STILL IMAGING SYSTEM
202
504
506
O/S
502
PROCESSOR
508
LOCAL INTERFACE
510
INPUT/OUTPUT DEVICE(S)

FIG. 5


200
602
STORE IMAGE DATA, AT LEAST SOME OF THE IMAGE DATA BEING STORED IN A HIGH RESOLUTION FORMAT
604
ENABLE LOW RESOLUTION RENDERING OF AT LEAST SOME OF THE IMAGE DATA AS VIDEO
606
ENABLE HIGH RESOLUTION PRINTING OF AT LEAST SOME OF THE IMAGE DATA

FIG. 6


202
702
RECEIVE IMAGE DATA
704
ENABLE LOW RESOLUTION RENDERING OF IMAGE DATA AS VIDEO
706
RECEIVE REQUEST FOR IMAGE DATA CORRESPONDING TO A FRAME OF DATA
708
IDENTIFY HIGH RESOLUTION DATA CORRESPONDING TO THE REQUESTED FRAME
710
PROVIDE HIGH RESOLUTION DATA CORRESPONDING TO THE REQUESTED FRAME

FIG. 7

US9020220056B2



FIG. 8



FIG. 9

US 2020/0090560



FIG. 10